ELSEVIER

Forest Ecology and Management 192 (2004) 431–432

Forest Ecology and Management

www.elsevier.com/locate/foreco

Contents of *Forest Ecology and Management*, Volume 192

VOLUME 192, ISSUE 1 **19 APRIL 2004**

Special Issue: Long-term Production Dynamics of Loblolly Pine Stands in the Southern United States

Editorial

Long-term production dynamics of loblolly pine stands in the southern United States
E.J. Jokela (Gainesville, FL, USA) and P.M. Dougherty (Summerville, SC, USA) 1

Regular articles

Long term growth responses of loblolly pine to optimal nutrient and water resource availability
T.J. Albaugh, H. Lee Allen (Raleigh, NC, USA), P.M. Dougherty (Summerville, SC, USA) and K.H. Johnsen (Research Triangle Park, NC, USA) 3

Effect of complete competition control and annual fertilization on stem growth and canopy relations for a chronosequence of loblolly pine plantations in the lower coastal plain of Georgia
B.E. Borders, R.E. Will, D. Markewitz, A. Clark, R. Hendrick, R.O. Teskey and Y. Zhang (Athens, GA, USA) 21

Stand development and production dynamics of loblolly pine under a range of cultural treatments in north-central Florida USA
T.A. Martin and E.J. Jokela (Gainesville, FL, USA) 39

Production, allocation, and stemwood growth efficiency of *Pinus taeda* L. stands in response to 6 years of intensive management
L.J. Samuelson (Auburn, AL, USA), K. Johnsen (Research Triangle Park, NC, USA) and T. Stokes (Auburn, AL, USA) 59

Long-term trends in loblolly pine productivity and stand characteristics in response to thinning and fertilization in the West Gulf region
M.A. Sword Sayer, J.C.G. Goelz (Pineville, LA, USA), J.L. Chambers, Z. Tang, T.J. Dean (Baton Rouge, LA, USA), J.D. Haywood and D.J. Leduc (Pineville, LA, USA) 71

Long-term growth and ecophysiological responses of a southeastern Oklahoma loblolly pine plantation to early rotation thinning
T.C. Hennessey (Stillwater, OK, USA), P.M. Dougherty (Summerville, SC, USA), T.B. Lynch, R.F. Wittwer and E.M. Lorenzi (Stillwater, OK, USA) 97

Production dynamics of intensively managed loblolly pine stands in the southern United States: a synthesis of seven long-term experiments
E.J. Jokela (Gainesville, FL, USA), P.M. Dougherty (Summerville, SC, USA) and T.A. Martin (Gainesville, FL, USA) 117

VOLUME 192, ISSUES 2–3 **6 MAY 2004**

Wildfires in NW Patagonia: long-term effects on a *Nothofagus* forest soil
M.V. Alauzis, M.J. Mazzarino, E. Raffaele and L. Roselli (Bariloche, Argentina) 131

Density-dependent mortality versus spatial segregation in early life stages of *Abies densa* and *Rhododendron hodgsonii* in Central Bhutan
G. Gratzer (Vienna, Austria) and P.B. Rai (Bumthang, Bhutan) 143

Tropical forest management and silvicultural practices by small farmers in the Brazilian Amazon: recent farm-level evidence from Rondônia
P.M. Summers, J.O. Browder (Blacksburg, VA, USA) and M.A. Pedlowski (Rio de Janeiro, Brazil) 161

Charcoal root dip and controlled release carrier effects on hexazinone selectivity with sycamore (*Platanus occidentalis*) seedlings
C.L. Ramsey (Milton, FL, USA), G.R. Wehtje, R.H. Walker, D.H. Gjerstad and D.B. South (Auburn, AL, USA) 179

doi:10.1016/S0378-1127(04)00225-7

Incidence, host relations and population structure of *Armillaria ostoyae* in Colorado campgrounds
J.J. Worrall (Gunnison, CO, USA), K.F. Sullivan (Lakewood, CO, USA), T.C. Harrington and J.P. Steimel (Ames, IA, USA) .. 191
Oustar herbicide for efficient herbaceous weed control and enhanced loblolly pine seedling performance in the southeastern US
J.L. Yeiser, T.L.L. Temple Chair (Nacogdoches, TX, USA) and A.W. Ezell (Mississippi State, MS, USA) 207
Genetic variability of *Cedrela odorata* Linnaeus: results of early performance of provenances and families from Mesoamerica grown in association with coffee
C. Navarro (Turrialba, Costa Rica), F. Montagnini (New Haven, CT, USA) and G. Hernández (Turrialba, Costa Rica) 217
Spatial interactions between Scots pine (*Pinus sylvestris* L.), common oak (*Quercus robur* L.) and silver birch (*Betula pendula* Roth.) as investigated in stratified stands in mesotrophic site conditions
J.G. Paluch and L.E. Bartkowicz (Cracow, Poland) 229
The possible influence of nitrogen and acid deposition on forest growth in Norway
S. Solberg, K. Andreassen, N. Clarke (Ås, Norway), K. Tørseth (Kjeller, Norway), O.E. Tveito (Oslo, Norway), G.H. Strand and S. Tomter (Ås, Norway) 241
Regeneration failure in Atlantic oakwoods: the roles of ungulate grazing and invertebrates
S.C.F. Palmer, R.J. Mitchell, A.-M. Truscott and D. Welch (Banchory, UK) 251
Diversity of maritime juniper woodlands
J.C. Muñoz-Reinoso 267
Soil properties in fire-consumed log burnout openings in a Missouri oak savanna
C.C. Rhoades (Fort Collins, CO, USA), A.J. Meier (Bowling Green, KY, USA) and A.J. Rebertus (Marquette, MI, USA) 277
Understory vegetation in young Douglas-fir forests: does thinning help restore old-growth composition?
B.C. Lindh and P.S. Muir (Corvallis, OR, USA) 285
Soil CO_2 efflux across four age classes of plantation loblolly pine (*Pinus taeda* L.) on the Virginia Piedmont
P. Eric Wiseman (Clemson, SC, USA) and J.R. Seiler (Blacksburg, VA, USA) 297
Synergistic responses of oak, pine and shrub seedlings to edge environments and drought in a fragmented tropical highland oak forest, Oaxaca, Mexico
H. Asbjornsen (Ames, IA, USA), K.A. Vogt (Seattle, WA, USA) and M.S. Ashton (New Haven, CT, USA) 313
Effect of biuret on growth and nutrition of Douglas-fir (*Pseudotsuga menziesii* (Mirb) Franco) seedlings
J. Xue, R. Sands and P.W. Clinton (Christchurch, New Zealand) 335
Using thinning as a management tool for gypsy moth: the influence on small mammal abundance
R.M. Muzika (Columbia, MO, USA), S.T. Grushecky, A.M. Liebhold and R.L. Smith (Morgantown, WV, USA) 349
Riparian forest restoration: why each site needs an ecological prescription
B.W. Sweeney (Avondale, PA, USA) and S.J. Czapka (New Ellenton, SC, USA) 361
Evaluating the role of cutting treatments, fire and soil seed banks in an experimental framework in ponderosa pine forests of the Black Hills, South Dakota
C.L. Wienk (Tucson, AZ, USA), C.H. Sieg (Flagstaff, AZ, USA) and G.R. McPherson (Tucson, AZ, USA) 375
Safety-net role of tree roots: evidence from a pecan (*Carya illinoensis* K. Koch)–cotton (*Gossypium hirsutum* L.) alley cropping system in the southern United States
S.C. Allen (Gainesville, FL, USA), S. Jose (Milton, FL, USA), P.K.R. Nair (Gainesville, FL, USA), B.J. Brecke (Milton, FL, USA), P. Nkedi-Kizza (Gainesville, FL, USA) and C.L. Ramsey (Milton, FL, USA) 395
Seed dispersal to revegetated isolated rainforest patches in North Queensland
E. White (Brisbane, Australia), N. Tucker (Yungaburra, Australia), N. Meyers and J. Wilson (Brisbane, Australia) 409

Book review 427

Corrigendum 429

Contents of *Forest Ecology and Management*, Volume 192 431